

Version 12

Revision Date 05.12.2006 Print Date 05.12.2006

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT INFORMATION

Product name : ICON 10 CS

Design Code : A12690A

Use : Insecticide

Company : Syngenta Crop Protection AG

Postfach

CH-4002 Basel Switzerland

Telephone : +41 61 323 11 11

Telefax : +41 61 323 12 12

Emergency : +44 1484 538444

telephone number





Harmful

Dangerous for the environment

2. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous components

Chemical Name	CAS-No.	EC-No.	Symbol(s)	R-phrase(s)	Concentration
lambda-cyhalothrin	91465-08-6	415-130-7	T+, N	R21 R25 R26 R50/53	9.7 % W/W
solvent naphtha (petroleum), light arom.	64742-95-6	265-199-0	Xn, N	R10 R37 R51/53 R65 R66 R67	5 - 10 % W/W
1,2-propanediol	57-55-6	200-338-0			5 - 10 % W/W
1,2-benzisothiazol- 3(2H)-one	2634-33-5	220-120-9	N, Xn	R22 R38 R41 R43 R50	0.05 - 1 % W/W

For the full text of the R phrases mentioned in this Section, see Section 16.

3. HAZARDS IDENTIFICATION

Harmful by inhalation.

May cause sensitization by skin contact.

Version 12 Page 1 of 9



Version 12

Revision Date 05.12.2006 Print Date 05.12.2006

May cause temporary itching, tingling, burning or numbness of exposed skin, called paresthesia. Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES

General advice : Have the product container, label or Material Safety Data

Sheet with you when calling the Syngenta emergency number, a poison control center or physician, or going for treatment.

Inhalation : Remove to fresh air.

If breathing is irregular or stopped, administer artificial

respiration.

Keep patient warm and at rest.

Call a physician or Poison Control Centre immediately.

Skin contact: Take off contaminated clothing and shoes immediately.

Wash off immediately with plenty of water. If skin irritation persists, call a physician. Wash contaminated clothing before re-use.

Eye contact : Rinse immediately with plenty of water, also under the eyelids,

for at least 15 minutes. Remove contact lenses.

Immediate medical attention is required.

Medical advice : Skin contact paresthesia effects (itching, tingling, burning or

numbness) are transient, lasting up to 24 hours. Treat

symptomatically.

Do not induce vomiting: contains petroleum distillates and/or

aromatic solvents.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing

media

: Extinguishing media - small fires

Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Extinguishing media - large fires

Alcohol-resistant foam

Water spray

Extinguishing media which must not be used for safety reasons

: Do not use a solid water stream as it may scatter and spread

fire.

Specific hazards during

fire fighting

As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products

of combustion (see section 10).

Exposure to decomposition products may be a hazard to

health.

Special protective equipment for fire-

fighters

: Wear full protective clothing and self-contained breathing

apparatus.

Further information : Do not allow run-off from fire fighting to enter drains or water

Version 12 Page 2 of 9



Version 12

Revision Date 05.12.2006 Print Date 05.12.2006

courses.

Cool closed containers exposed to fire with water spray.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Refer to protective measures listed in sections 7 and 8.

Environmental precautions

: Prevent further leakage or spillage if safe to do so. Do not flush into surface water or sanitary sewer system.

Methods for cleaning up : Contain spillage, and then collect with non-combustible

absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to

local / national regulations (see section 13).

Additional advice : If the product contaminates rivers and lakes or drains inform

respective authorities.

7. HANDLING AND STORAGE

HANDLING

Advice on safe handling: No special protective measures against fire required.

Avoid contact with skin and eyes. When using, do not eat, drink or smoke. For personal protection see section 8.

STORAGE

Requirements for storage areas and containers

No special storage conditions required.

Keep containers tightly closed in a dry, cool and well-ventilated

place.

Keep out of the reach of children.

Keep away from food, drink and animal feedingstuffs.

Other data : Physically and chemically stable for at least 2 years when

stored in the original unopened sales container at ambient

temperatures.

Version 12 Page 3 of 9



Version 12

Revision Date 05.12.2006 Print Date 05.12.2006

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Components with workplace control parameters

Components	Exposure limit(s)	Value type	Source
lambda-cyhalothrin	0.04 mg/m3	8 h TWA	SYNGENTA
solvent naphtha (petroleum), light arom.	100 mg/m3	8 h TWA	SUPPLIER

ENGINEERING MEASURES

Containment and/or segregation is the most reliable technical protection measure if exposure cannot be eliminated.

The extent of these protection measures depends on the actual risks in use.

If airborne mists or vapors are generated, use local exhaust ventilation controls.

Assess exposure and use any additional measures to keep airborne levels below any relevant exposure limit.

Where necessary, seek additional occupational hygiene advice.

PERSONAL PROTECTIVE EQUIPMENT

Protective measures : The use of technical measures should always have priority

over the use of personal protective equipment. When selecting personal protective equipment, seek

appropriate professional advice.

Personal protective equipment should be certified to

appropriate standards.

Respiratory protection : A combination gas, vapor and particulate respirator may be

necessary until effective technical measures are installed. Protection provided by air-purifying respirators is limited. Use a self-contained breathing apparatus in cases of

emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not

provide adequate protection.

Hand protection : Chemical resistant gloves should be used.

Gloves should be certified to an appropriate standard. Gloves should have a minimum breakthrough time that is

appropriate to the duration of exposure.

The breakthrough time of gloves varies according to the

thickness, material and manufacturer.

Gloves should be changed when breakthrough is suspected.

Suitable material: Nitrile rubber

Eye protection : Eye protection is not usually required.

Follow any site specific eye protection policies.

Skin and body protection : Assess the exposure and select chemical resistant clothing

based on the potential for contact and the permeation / penetration characteristics of the clothing material.

Wash with soap and water after removing protective clothing. Decontaminate clothing before re-use, or use disposable

equipment (suits, aprons, sleeves, boots, etc.)

Version 12 Page 4 of 9



Version 12

Revision Date 05.12.2006 Print Date 05.12.2006

Wear as appropriate: impervious protective suit

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : liquid

Colour : white to light brown

pH : 4 - 8 at 1 % w/v **Flash point** : > 97 °C at 100.9 kPa

Oxidizing properties : not oxidizing

Explosive properties : Not explosive

Density : 1.047 g/cm3 at 20 °C

Solubility in other solvents : Miscible

in Water

Viscosity, dynamic : 79.5 - 448 mPa.s at 20 °C

: 58.1 - 334 mPa.s at 40 °C

10. STABILITY AND REACTIVITY

Hazardous decomposition

products

: Combustion or thermal decomposition will evolve toxic and

irritant vapors.

Hazardous reactions : None known.

Hazardous polymerization does not occur.

Stable under normal conditions.

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 Rat, > 5,000 mg/kg

Acute inhalation toxicity : LC50 Rat, > 4.62 mg/l, 4 h

Acute dermal toxicity : LD50 Rat, > 4,000 mg/kg

Skin irritation : Rabbit: Slightly Irritating

May cause temporary itching, tingling, burning or numbness of

exposed skin, called paresthesia.

Eye irritation : Rabbit: Mild eye irritation

Sensitization : : Likely to cause skin sensitization.

Derived from components.

Long term toxicity

Version 12 Page 5 of 9



Version 12

Revision Date 05.12.2006 Print Date 05.12.2006

Did not show carcinogenic, teratogenic or mutagenic effects in

animal experiments.

12. ECOLOGICAL INFORMATION

ELIMINATION INFORMATION (PERSISTENCE AND DEGRADABILITY)

Bioaccumulation : Lambda-cyhalothrin bioaccumulates.

Stability in water : Lambda-cyhalothrin is not persistent in water.

Stability in soil : Lambda-cyhalothrin is not persistent in soil.

Mobility : Lambda-cyhalothrin is immobile in soil and will not leach.

ECOTOXICITY EFFECTS

Toxicity to fish : LC50 Oncorhynchus mykiss (rainbow trout), 4 µg/l Derived

from components.

Toxicity to aquatic

invertebrates

EC50 Daphnia magna (Water flea), 4 μg/l , 48 h

Derived from components.

Toxicity to algae : ErC50 Pseudokirchneriella subcapitata (green algae), > 10

mg/l, 96 h

Derived from components.

: EbC50 Pseudokirchneriella subcapitata (green algae), > 10

mg/l, 96 h

Derived from components.

13. DISPOSAL CONSIDERATIONS

Product : Do not contaminate ponds, waterways or ditches with chemical

or used container.

Do not dispose of waste into sewer.

Where possible recycling is preferred to disposal or

incineration.

If recycling is not practicable, dispose of in compliance with

local regulations.

Contaminated packaging: Empty remaining contents.

Triple rinse containers.

Empty containers should be taken for local recycling or waste

disposal.

Do not re-use empty containers.

14. TRANSPORT INFORMATION

Version 12 Page 6 of 9



Version 12

Revision Date 05.12.2006 Print Date 05.12.2006

Land transport

ADR/RID:

UN-No.: 3082
Class: 9
Danger Label Number: 9
Packaging group III

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(LAMBDA-CYHALOTHRIN AND SUBSTITUTED BENZENOID HYDROCARBONS)

Sea transport

IMDG:

UN-No.: 3082
Class: 9
Danger Label Number: 9
Packaging group: III

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(LAMBDA-CYHALOTHRIN AND SUBSTITUTED BENZENOID HYDROCARBONS)

Marine pollutant : Marine pollutant

Air transport

IATA-DGR

UN-No.: 3082
Class: 9
Danger Label Number: 9
Packaging group: III

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(LAMBDA-CYHALOTHRIN AND SUBSTITUTED BENZENOID

HYDROCARBONS)

15. REGULATORY INFORMATION

Labelling according to EC Directives

Hazardous components which must be listed on the label:

lambda-cyhalothrin

1,2-benzisothiazol-3(2H)-one

Symbol(s) : Xn Harmful

N Dangerous for the environment

Version 12 Page 7 of 9



S-phrase(s)

Version 12

Revision Date 05.12.2006 Print Date 05.12.2006

R-phrase(s) : R20 Harmful by inhalation.

R43 May cause sensitization by skin contact.
R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

environment.

Keep out of the reach of children.

S 2

S13 Keep away from food, drink and animal

feedingstuffs.

S20/21 When using do not eat, drink or smoke. S35 This material and its container must be

disposed of in a safe way.

S57 Use appropriate container to avoid

environmental contamination.

Special labelling of certain preparations

To avoid risks to man and the environment, comply with the

instructions for use.

Note : The preparation is classified as dangerous in accordance with

Directive 1999/45/EC.

Version 12 Page 8 of 9



Version 12

Revision Date 05.12.2006 Print Date 05.12.2006

16. OTHER INFORMATION

Further information

Text of R phrases mentioned in Section 2:

R10 Flammable.

R21 Harmful in contact with skin.
R22 Harmful if swallowed.
R25 Toxic if swallowed.
R26 Very toxic by inhalation.

R37 Irritating to respiratory system.

R38 Irritating to skin.

R41 Risk of serious damage to eyes.

R43 May cause sensitization by skin contact.

R50 Very toxic to aquatic organisms.

R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects

in the aquatic environment.

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R65 Harmful: may cause lung damage if swallowed.

R66 Repeated exposure may cause skin dryness or cracking.

R67 Vapours may cause drowsiness and dizziness.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

A vertical bar in the left margin indicates an amendment from the previous version.

Product names are a trademark or registered trademark of a Syngenta Group Company.

Version 12 Page 9 of 9